## City of Ukiah

# Notice of Public Hearing on Proposed Rates for Sewer Service Charges

September 17, 2025 at 5:15 pm Ukiah Civic Center 300 Seminary Ave, Ukiah, CA, 95482

The City of Ukiah will hold a public hearing on a proposed rate schedule for Sewer Rates.

The City's sewer utility provides sewer collection, treatment and disposal services for nearly 3,600 residential and business accounts located within a portion of the City's jurisdictional boundaries. The City's sewer utility collects and treats wastewater at the City's wastewater treatment plant. These sewer services are essential to protecting public health and the environment and maintaining a high quality of life.

The City of Ukiah charges Sewer Rates to each property that is connected to the City's sewer system. The City uses these funds to operate the collection and treatment systems, and to pay for effluent and biosolids disposal.

#### WHY INCREASE RATES NOW?

Higher than anticipated inflation and significant, unforeseen capital outlays for infrastructure improvements have impacted the sewer enterprise reserves and maintenance costs. An increase in rate revenue is necessary at this time in order to pay for existing operating costs and to increase capital reinvestment in the sewer collection system and the wastewater treatment plant.

In order to meet the sewer utility's current expenses, the City is proposing increases to the Sewer Rates over the next five years. The proposed rates are designed to meet the current cost of operations as well as the annual capital budget for sewer assets.

#### **HOW WERE RATES CALCULATED?**

The proposed Sewer Rates were calculated using methodologies that are aligned with industry standard practices for rate setting and all applicable laws, including California Constitution Article VIII D, Section 6 (commonly known as Proposition 218). The revenue

requirements for the City sewer utility were based on a financial plan that integrated operational, debt and capital funding needs.

Residential users will continue to pay a fixed monthly Service Charge on a perdwelling basis in addition to a Consumption Rate based on the average monthly water used during the prior winter months of January through March.

Commercial users will be charged a monthly Service Charge for each "equivalent sewer service flow unit" (ESSFU), which is a measure of the average winter water use of residential dwelling units. The ESSFU assignment for a Commercial user will be calculated based on the user's average monthly water consumption during the previous winter (with a minimum of one (1) ESSFU per commercial account). The Consumption Rate for Commercial users is determined by multiplying the account's average winter water usage by the respective rate Commercial the customer's for classification (which accounts for sewer strength).

### **HOW MUCH OF AN INCREASE?**

Under this proposal, rate revenue from the Sewer Service Charge will increase 6% overall on October 1, 2025, then 4% each July 1 of 2026, 2027, 2028, and 2029. The proposal involves no structural changes to the rates, but simply and update to the existing structure given cost increases and the need to build reserves.

For complete details, the 2025 Sewer Financial Plan Report is available at: <a href="http://www.cityofukiah.com/utility-services/">http://www.cityofukiah.com/utility-services/</a>.

For more information on proposed Sewer Rates, please call:

(707) 463-6228

or email: lmartin@cityofukiah.com

#### **HOW TO PARTICIPATE**

Proposition 218 establishes a protest process for the public to follow if they wish to oppose the rates.

Written protests on the proposed Sewer Rates must be received prior to the close of the Public Hearing on September 17, 2025 and may be hand delivered during the hearing, mailed or delivered to:

Kristine Lawler City Clerk 300 Seminary Ave, Ukiah, CA, 95482

E-mail protests are not accepted.

Written protests on the proposed Sewer Rates must identify the owner(s) or tenant of the property and provide the property address. Only one protest per affected parcel will be considered. If written protests are presented by owners from a majority of affected parcels, the City cannot approve the proposed rate.

The City of Ukiah is proposing a multi-year sewer rate adjustment schedule for all residential and commercial (non-residential) customers. The proposal will be considered by the City Council at a Public Hearing on September 17, 2025. If approved, the sewer rate adjustments will commence October 1, 2025. You are receiving this notification in compliance with California Constitution Article XIII C and D (commonly known as Proposition 218), which requires that all impacted property owner(s) are mailed notice of proposed rate increases at least 45 days prior to a public hearing.

### **Proposed Sewer Rate Schedule**

	Current Rates	October 1, 2025	July 1, 2026	July 1, 2027	July 1, 2028	July 1, 2029
Monthly Service Charge*:	\$59.71	\$63.29	\$65.82	\$68.45	\$71.19	\$74.04
Consumptions Rate (per HCF)						
Residential:	\$4.32	\$4.58	\$4.76	\$4.95	\$5.15	\$5.36
Commerical 1:	\$4.32	\$4.58	\$4.76	\$4.95	\$5.15	\$5.36
Commercial 2:	\$4.71	\$4.99	\$5.19	\$5.40	\$5.62	\$5.84
Commercial 3:	\$9.39	\$9.95	\$10.35	\$10.76	\$11.19	\$11.64
Commercial 4:	\$12.49	\$13.24	\$13.77	\$14.32	\$14.89	\$15.49

<sup>\*</sup> Service Charge is per dwelling unit for residential and per ESSFU for commercial accounts (with a minimum charge of 1 ESSFU)

Your Sewer Rates pay all costs necessary to operate and maintain the City's sewer collection, treatment, and disposal infrastructure. The proposed Sewer Rates will help enable the City to provide reliable and dependable wastewater collection and treatment service while protecting our streams, creeks, rivers, navigable waterbodies and public health.

Please be advised that pursuant to Government Code Section 53759(d) there is a 120-day statute of limitation for any challenge to the new, increased or extended fee or charge.

\_\_\_\_\_

City of Ukiah 300 Seminary Ave Ukiah, CA 95482

IMPORTANT NOTICE – Sewer Rate Increase PUBLIC HEARING NOTICE